KNEE EVALUATION FORM

Patient Name:Last	First	Middle Intial	DOB:	Age:
Home Telephone #			Date of Visit	
Referring Doctor:	Physician Name:			_
	Physician Address:			_
	Physician Telephone #:_			_ _
Primary Care or Famil	y Physician Name:			
	Address:			
Pharmacy Name:		Pharmacy Tele	ephone #	
Type of Sport(s)				
Level of Sports: N/A □	l Recreational □ High S	chool □ Colleg	iate □ Professio	onal 🗆



NORTH JERSEY ORTHOPAEDIC INSTITUTE

Department of Orthopaedics

University of Medicine & Dentistry of New Jersey

Medical History / Review of Systems:
Today's Date/
Reason for seeing the doctor today? Injured Area (Body Part):
Chief Complaint:
Date of Injury/Please check if no known date of injury
How did the injury /accident occur?
Any treatment or test to date, please check all that apply
MRICAT ScanX-rayPhysical TherapySurgeryOther
Have you ever had the same or a similar injury?NOYES, if so when//
Were you out of work due to this accident/injury?NOYES
If yes, when? From: To:
Were you seen by another physician for this injuryNOYES
If yes: Physician Name:
Physician Address:
Physician Telephone #:



Symptoms:

University of Medicine & Dentistry of New Jersey

Department of Orthopaedics

IKDC Subjective Evaluation Form (AOSSM 1999)

1. Wha	it is the hi	ghest le	vel of ac	tivity tha	t you car	n perform	n without	significa	nt knee p	ain?		
		Very st	trenuous	activities	s like jun	nping or	pivoting	as in basl	ketball or	soccer		
		Strenuc	ous activ	ities like	heavy pl	hysical w	ork, skiir	ng or tenr	nis			
		Modera	ate activi	ties like	moderate	e physica	l work, rı	unning or	jogging			
		Light a	ctivities	like wall	king, hou	sework o	or yard w	ork				
		Unable to perform any of the above activities due to knee pain										
2 Duri	na tha na	at A was	lea or air	naa tha di	ata af wa	ur iniur	how off	on hove t	ou had n	oin?		
Z. Dun	ng the pa	si 4 wee	2	3	4	ur injury, 5	, now ord	7	ou nau p 8	9	10	
Never												Constant
3 If you	u have pa	in how	severe is	it?								
3. 11 yo	0	1 1	2	3	4	5	6	7	8	9	10	
Never												Constant
4. Durii	ng the pas	t 4 weel	k, or sinc	e the dat	e of inju	ry, how s	tiff or sw	ollen wa	s your kn	ee?		
□ No			ildly		oderately			ery	,	xtremely		
5 What	tia 4h a hii	-l 4 1	164	::4		Co		C	ا به مناله		~9	
o. wna	t is the hig				-		pivoting		_	-	e?	
	_	•			, i					SUCCEI		
					• •		ork, skiir					
							l work, rı	_	Jogging			
		_			<u> </u>		or yard w		111			
		Unable	to perfo	rm any c	of the abo	ove activi	ties due t	o knee sv	welling			
6. Durii	ng the pas	t 4 weel	ks, or sin	ce the da	te of you	ır injury,	did your	knee loc	k or catch	1?		
	□ Yes		□ No									
7. What	t is the hig	ghest lev	el of act	ivity you	can perf	form with	nout signi	ficant giv	ving way	in your k	mee?	
		Very st	trenuous	activities	s like jun	nping or	pivoting	as in basl	ketball or	soccer		
		Strenuc	ous activ	ities like	heavy pl	hysical w	ork, skiir	ng or tenr	nis			
		Modera	ate activi	ties like	moderate	e physica	l work, rı	unning or	·jogging			
		Light a	ctivities	like wall	king, hou	sework o	or yard w	ork				
	П	Unabla	to perfe	rm ont	f the abo	vya aativi	tion due	rivina w	v of the	lmaa		



NORTH JERSEY ORTHOPAEDIC INSTITUTE

University of Medicine & Dentistry of New Jersey

Department of Orthopaedics

SPORTS ACTIVITIES:									
8. What is the highest level of activity you can participate in on a regular basis?									
	Very strenuous activities like jumping or pivoting as in basketball or soccer								
	Strenuous activities like heavy physical work, skiing or tennis								
	Moderate activities like moderate physical work, running or jogging								
	Light activities like walking, housework or yard work								
9. How does you	Unable to perform any of the above activities due to poor functioning of the knee ar knee affect your ability to:								
		Not difficult at all	Minimally difficult	Moderately difficult	Extremely difficult	Unable to do			
Go up stairs									
Go down stairs									
Kneel on the from	nt of								
Your knee									
Squat									
Sit with your kne	e bent								
Rise from a chair	•								
Run straight ahea	ıd								
Jump and land or Involved leg	ı your								
Stop and start qu	ickly								



NORTH JERSEY ORTHOPAEDIC INSTITUTE

University of Medicine & Dentistry of New Jersey

Department of Orthopaedics

Func 10. Ho being	w would	you rate	the fund	ction of your	our knee usual da	on a scal	e of 0 to	10 with 1	0 being 1	normal, excellent function and 0	
FUNC	TION P	RIOR T	O YOU	R KNEE	INJUR	Y:					
Cannot j	perform dail	ly activitie	s	□ 4	□ 5	□ 6	□ 7	□ 8	□ 9	No limitation □ 10	
CURF	RENT FU	NCTIO	N OF Y	OUR KI	NEE:						
	perform dail			□ 4	□ 5	□ 6	□ 7	□ 8	□ 9	No limitation ☐ 10	

Limp (5 points)

Slight or periodical

None

University of Medicine & Dentistry of New Jersey

Department of Orthopaedics

Lysholm and Gilquist Scale (corr 198, September, 1985)

5

3

Circle the number that best describes you:

Severe or constant	0
Support (5 points)	
None	5
Stick or crutch	2
Weight-bearing impossible	0
Locking (15 points)	
No locking and no catching sensation	15
Catching sensation but no locking	10
Occasional locking	6
Frequent locking	2
Locked joint on examination	0
Instability (25 points)	
Never giving away	25
Rarely during athletics or other strenuous exertion	20
Frequently during athletics or other strenuous	
Exertion (or incapable of participation)	15
Occasionally in daily activities	10
Often in daily activities	5
Every step	0
Pain (25 points)	
None	25
Inconstant and slight during severe exertion	20
Marked during severe exertion	15
Marked on or after walking more than	
2 km (1.25 miles)	10
Marked on or after walking less than	
2 km (1.25 miles)	5
Constant (with every step)	0





University of Medicine & Dentistry of New Jersey

Department of Orthopaedics

Swelling (10 points)	
None	10
On strenuous exertion	6
On ordinary exertion	2
Constant	0
Stair Climbing (10 points)	
No problems	10
Slightly impaired	6
One step at a time	2
Impossible	2
Squating (5 points)	
No problems	5
Slightly impaired	4
Not beyond 90 degrees	2
Impossible	0