June 3, 2013

Dear Entering GSBS Student,

The attached health documentation is required for matriculation as per University Policy and is for your protection as well as the protection of patients and staff. All UMDNJ policies are based upon the Centers for Disease Control (CDC) recommendations for healthcare workers, including students.

#### NOW:

- Read through all forms in this packet
- Review the "Student Immunization & Health Requirements Policy" http://www.umdnj.edu/oppmweb/university\_policies/student\_affairs/PDF/00-01-25-40\_00.pdf
- Schedule an appointment with your healthcare provider for a complete history and physical and completion of the immunization record
- Give the **Healthcare Provider Checklist** to your healthcare provider
- Obtain a "two step" PPD as indicated on the Immunization Record
  This consists of two PPD tests placed approx. 1-3 weeks apart. Each test must be read 48-72 hours after placement.

#### **NEXT:**

- Submit the completed Health History and Physical Exam form
- Submit the completed **Immunization Record** (no other forms will be accepted)
- Submit copies of any required lab reports (titers, chest-x-ray if necessary)
- Complete and return the Meningococcal Meningitis Response Form
- If you are planning to apply for on-campus residence, you will need to provide proof of meningococcal vaccination (Menactra) for your housing application to be processed

### All of these pre-matriculation requirements are due July 22, 2013

Please make sure to have your health care provider complete, sign and date all forms. Give the **Healthcare Provider Checklist** to your healthcare provider so that the appropriate tests are performed. Your provider may not be familiar with some of these requirements, but they are, in fact, **REQUIRED**. The checklist may help to avoid the wrong tests being ordered at an increased cost to you, as any cost incurred related to the above requirements is your responsibility.

If you have any questions or require additional information, please contact the Student Health and Wellness Center at: 973-972-7687.

Please mail or FAX the completed forms to:

UMDNJ/Student Health Services 90 Bergen Street Doctor's Office Center, Suite 1750 Newark, NJ 07103-2499 FAX: 973-972-0018

Sincerely,

Noa'a Shimoni MD MPH Medical Director

## **Health Care Provider Check List**

History & Physical	☐ A completed health history and physical exam, dated, signed and stamped by the healthcare provider, on our forms.				
PPD	2-step PPD * regardless of history of having received BCG  ■ Please include date placed and date read with millimeters of induration  ■ For a PPD ≥10 mm now or in the past, you must submit a chest x-ray report within the last 12 months or an FDA approved blood assay for TB (such as Quantiferon Gold)				
MMR	<ul> <li>□ 2 doses of Measles vaccine <i>OR</i> a Rubeola IgG titer showing immunity- attach lab report LabCorp test # 096560 Quest Diagnostic test # 52449W</li> <li>□ 1 dose of Mumps vaccine <i>OR</i> a Mumps IgG titer showing immunity- attach lab report LabCorp test # 096552 Quest Diagnostic test # 64766R</li> <li>□ 1 dose of Rubella vaccine <i>OR</i> a Rubella IgG titer showing immunity- attach lab report LabCorp test # 006197 Quest Diagnostic test # 53348W</li> <li><i>OR</i></li> <li>□ 2 doses of MMR satisfies above requirement for measles, mumps and rubella or MMR IgG titer showing immunity – attach lab report LabCorp test #058495 Quest Diagnostic test #85803A</li> </ul>				
Нер В	<ul> <li>OR</li> <li>□ Hepatitis B Surface Antibody QUANTITATIVE titer (the result must be a number) attach lab report. LabCorp test # 006395 Quest Diagnostic test # 51938W</li> <li>These are CDC recommendations for all healthcare workers. Your patient will not be permitted to matriculate without these tests.</li> </ul>				
Meningitis	☐ Meningococcal vaccine (required for UMDNJ housing application)				

<sup>\*</sup> Initial testing of new students who have documented negative PPD tests within 12 months of matriculation or enrollment can be done using one PPD test. If documentation of both tests is unavailable, the student must repeat the 2 step test.

UMDNJ/Student Health Services
90 Bergen Street
DOC Suite 1750
Newark, NJ 07103-2499
Phone: (973) 972-7687
Fax: (973) 972-0018

Health History
(To be completed by the student. Please print or type)

Name:	·		Sch	ool/ Grad Year		
(Last)	(First)		(MI)	(NJ	MS, NJDS, GSBS, SHRP	, SN, SPH, VISITING)
Date of Birth: mo		☐ Male	□ Female	If SHRP or	SN:	(Program)
Permanent						
Address	Street & Apt #	······································	City		State	Zip code
Contact Telephon	e(Cell):		E-mail			
Emergency Conta	ct: Name		Relatio	nship	Te	lephone
Describe your usu	ual health:	□Excellent	□Good	□Fair	□Poor	
	exercise a week?	□Never	□1-2 times	□3-5 times	□>5 times	
How much tobacc		□None	□<1/2 PPD	□½ - 1 PPD	□>1 PPD	□Other
How many alcoho	lic drinks do you h	ave a week?	□None	□1-3/wk	☐ 4-6/wk	□7+/wk
Do you have any	ongoing health pro	blems? 🗓Yes	□No If yes,	specify diagnosis	& date(s):	<del></del>
Have you ever had	d surgery? □Yes	□No If yes	, specify procedu	re(s) and date(s): _		
Any hospitalizatio	ons not specified al	oove? □Yes	ŪNo If yes, sp	ecify reasons(s) a	nd date(s):	
Have you ever rec emotional/psychia					her substance abuse ):	
Please specify an	y allergies to medi	cations, latex, an	d other substance	es (include reaction	n). If none, write nor	ne:
Please list any me medications, vitar	edications you take mins, herbs, supple	regularly. Incluements, and hom	de all prescription eopathic remedie	n medications, con s:	traceptives, non-pre	scription
Has your activity	been restricted in t	he past 5 years?	□Yes □No	If yes, specify re	eason(s) and date(s)	:

Health History (continued) s there a family (parents, siblings, grandparents) history of: lypertension □Yes □No Who: High Cholesterol □Yes □ leart Disease □Yes □No Who: Stroke □Yes □	red necessary by the Service
there a family (parents, siblings, grandparents) history of: ypertension	□No Who: □No Who:
repertension	□No Who: □No Who:
Apertension	□No Who: □No Who:
Part Disease	□No Who: □No Who:
abetes	□No Who:
Ancer	red necessary by the Service
Sychiatric	red necessary by the Service
Contents of Student Health Services student records may be disclosed to other persons or offices if consideration the health or safety of any individual(s) or to consider the student's ability to fulfill the Essential Functions	ed necessary by the Service
atient Signature Date  Contents of Student Health Services student records may be disclosed to other persons or offices if considere for the health or safety of any individual(s) or to consider the student's ability to fulfill the Essential Functions	ed necessary by the Service
Contents of Student Health Services student records may be disclosed to other persons or offices if considere for the health or safety of any individual(s) or to consider the student's ability to fulfill the Essential Functions	ed necessary by the Service
Contents of Student Health Services student records may be disclosed to other persons or offices if consider for the health or safety of any individual(s) or to consider the student's ability to fulfill the Essential Functions	red necessary by the Service
for the health or safety of any individual(s) or to consider the student's ability to fulfill the Essential Functions	red necessary by the Services of the educational
Any disclosure made to Student Health Services on this form or in any other manner does not constitute notic or handicap and will not be considered a request for accommodations. All requests for reasonable accommod	ce to UMDNJ of a disability
directly to the UMDNJ School in which the student is enrolled, in accordance with the procedures of the school	ol.
PHYSICAL EXAM	
(Must be completed by a non-relative physician, nurse practitioner, or physicia	ın's assistant)
(made so completed sy a non-relative physician, made phasiness, ex-physician	
hysical Exam Date:	
Tysical Exam Date	,
sual Acuity (with correction, if any): ODOSCorrection? □Yes □No	
oight (inches) Weight (pounds) BMI BP Pulse	···
Normal Abnormal Not Done If abnormal, please e	volain:
	Apiaiii.
eneral appearance	
rin (scars, tatoos)	
ead	
ves	
rs, Nose, Throat	
ck D D D	
mph Nodes	
eart D D D D D	· · · · · · · · · · · · · · · · · · ·
ings 🗆 🗀 🖳	
odomen 🔲 🗀 🖳	
elvic Exam	
J Exam	
oine D D D	
eurological Exam	
oes this student require ongoing medical care?	
EATH CARE PROVIDER (must be completed):  Address:	
·	
rint Name: Phone:	

Revised 02/4/13

MAIL OR FAX TO:

UMDNJ – Student Health Services 90 Bergen Street - DOC Suite 1750 Newark, NJ 07103 Phone: (973) 972-7687 Fax: (973) 972-0018

### **IMMUNIZATION RECORD**

Name	Look	Plus				<del></del>
	Last	First				
Address_	Street	City	State	Zip		
Start Date	/ Grad. Date/ Date o	of Birth//_Cell	#:			
School i	Please Check One: NJMSNJDSGSBSSPH	SNSHRP	VISIT	ING	<del></del>	
School Please Check One: NJMSNJDSGSBSSPHSNSHRPVISITING						
					Need	Done
Health Hi	istory & Physical (attach UMDNJ FORM)		//			
TUBERC positive)	<b>ULOSIS</b> – Two PPDs are required <u>regardless</u> of prior B	CG (unless #1 is	#1 date placed:	#1 date read:	·	
PPDs	Result #1:Xmm induration		M D Y	//		
·	Result #2:X mm induration		#2 date placed:	#2 date read:		
	OR		M D Y	M D Y		
i	FDA approved blood assay for TB (Quantiferon Gold) ( <u>a</u>	ttach report)	//			
IF POSIT	IVE PPD (PPD <u>&gt;</u> 10mm) Result: X mm indu	ration	//			
1	Was INH taken? YesNoIf yes, for how long?	·				
I	FDA approved blood assay for TB (Quantiferon Gold) (attach report)					
Chest x-ray required within the past 12 months* (attach report)						
	ray is required if Quantiferon Gold is positive or not draw	n				
,	easles, Mumps, Rubella) iven at 12 months after birth or later and Dose 2 after 19		/	//		
,	NDIVIDUAL VACCINATIONS (see below):	00	OR			
MEASLE 1. Dose	S (Rubeola) (2 doses of vaccine required)  1 of live vaccine at 12 months after birth or later and Dosegic immunity (attach lab report & record date of lab te		M D Y M D Y	//		
1. Dose	<b>A (German measles)</b> 1 of live vaccine 12 months after birth or later , <i>OR</i> ogic immunity <u>(attach lab report &amp; record date of lab te</u>	<u>est)</u>	M D Y M D Y			
	1 of live vaccine 12 months after birth or later , <i>OR</i> ogic immunity <u>(attach lab report &amp; record date of lab te</u>	e <u>st)</u>	M D Y			

Continued from page 1

Date \_\_

HEPATITIS B			
At least one of three doses is required prior to the enrollment:			
Dose #1/			
OR			
Hepatitis B Surface Antibody Titer – Titer must be QUANTITATIVE (not qualitative).* (attach lab report)	//		
	N.		
MENINGOCOCCAL VACCINE (required for UMDNJ housing application)	//		L
HEALTH CARE PROVIDER (must be completed):	·		
Print Name Address		 	
Signaturo Diagram ( )			

#### **VACCINE INFORMATION STATEMENT**

# **Meningococcal Vaccines**

### What You Need to Know

Many Vaccine Information Statements are available in Spanish and other languages. See www.immunize.org/vis

Hojas de Informacián Sobre Vacunas están disponibles en Español y en muchos otros idiomas.

Visite http://www.immunize.org/vis

1

# What is meningococcal disease?

Meningococcal disease is a serious bacterial illness. It is a leading cause of bacterial meningitis in children 2 through 18 years old in the United States. Meningitis is an infection of the covering of the brain and the spinal cord.

Meningococcal disease also causes blood infections.

About 1,000 - 1,200 people get meningococcal disease each year in the U.S. Even when they are treated with antibiotics, 10-15% of these people die. Of those who live, another 11%-19% lose their arms or legs, have problems with their nervous systems, become deaf or mentally retarded, or suffer seizures or strokes.

Anyone can get meningococcal disease. But it is most common in infants less than one year of age and people 16-21 years. Children with certain medical conditions, such as lack of a spleen, have an increased risk of getting meningococcal disease. College freshmen living in dorms are also at increased risk.

Meningococcal infections can be treated with drugs such as penicillin. Still, many people who get the disease die from it, and many others are affected for life. This is why preventing the disease through use of meningococcal vaccine is important for people at highest risk.

### 2

### Meningococcal vaccine

There are two kinds of meningococcal vaccine in the U.S.:

- Meningococcal conjugate vaccine (MCV4) is the preferred vaccine for people 55 years of age and younger.
- Meningococcal polysaccharide vaccine (MPSV4) has been available since the 1970s. It is the only meningococcal vaccine licensed for people older than 55.

Both vaccines can prevent 4 types of meningococcal disease, including 2 of the 3 types most common in the United States and a type that causes epidemics in Africa. There are other types of meningococcal disease; the vaccines do not protect against these.

3

# Who should get meningococcal vaccine and when?

#### **Routine Vaccination**

Two doses of MCV4 are recommended for adolescents 11 through 18 years of age: the first dose at 11 or 12 years of age, with a booster dose at age 16.

Adolescents in this age group with HIV infection should get three doses: 2 doses 2 months apart at 11 or 12 years, plus a booster at age 16.

If the first dose (or series) is given between 13 and 15 years of age, the booster should be given between 16 and 18. If the first dose (or series) is given after the 16th birthday, a booster is not needed.

#### Other People at Increased Risk

- College freshmen living in dormitories.
- Laboratory personnel who are routinely exposed to meningococcal bacteria.
- · U.S. military recruits.
- Anyone traveling to, or living in, a part of the world where meningococcal disease is common, such as parts of Africa.
- Anyone who has a damaged spleen, or whose spleen has been removed.
- Anyone who has persistent complement component deficiency (an immune system disorder).
- People who might have been exposed to meningitis during an outbreak.

Children between 9 and 23 months of age, and anyone else with certain medical conditions need 2 doses for adequate protection. Ask your doctor about the number and timing of doses, and the need for booster doses.

MCV4 is the preferred vaccine for people in these groups who are 9 months through 55 years of age. MPSV4 can be used for adults older than 55.



## 4

# Some people should not get meningococcal vaccine or should wait.

- Anyone who has ever had a severe (life-threatening) allergic reaction to a previous dose of MCV4 or MPSV4 vaccine should not get another dose of either vaccine.
- Anyone who has a severe (life threatening) allergy to any vaccine component should not get the vaccine. Tell your doctor if you have any severe allergies.
- Anyone who is moderately or severely ill at the time the shot is scheduled should probably wait until they recover. Ask your doctor. People with a mild illness can usually get the vaccine.
- Meningococcal vaccines may be given to pregnant women. MCV4 is a fairly new vaccine and has not been studied in pregnant women as much as MPSV4 has. It should be used only if clearly needed. The manufacturers of MCV4 maintain pregnancy registries for women who are vaccinated while pregnant.

Except for children with sickle cell disease or without a working spleen, meningococcal vaccines may be given at the same time as other vaccines.

### 5

# What are the risks from meningococcal vaccines?

A vaccine, like any medicine, could possibly cause serious problems, such as severe allergic reactions. The risk of meningococcal vaccine causing serious harm, or death, is extremely small.

Brief fainting spells and related symptoms (such as jerking or seizure-like movements) can follow a vaccination. They happen most often with adolescents, and they can result in falls and injuries.

Sitting or lying down for about 15 minutes after getting the shot – especially if you feel faint – can help prevent these injuries.

#### Mild problems

As many as half the people who get meningococcal vaccines have mild side effects, such as redness or pain where the shot was given.

If these problems occur, they usually last for 1 or 2 days. They are more common after MCV4 than after MPSV4.

A small percentage of people who receive the vaccine develop a mild fever.

#### Severe problems

Serious allergic reactions, within a few minutes to a few hours of the shot, are very rare.

### 6

# What if there is a moderate or severe reaction?

#### What should I look for?

Any unusual condition, such as a severe allergic reaction or a high fever. If a severe allergic reaction occurred, it would be within a few minutes to an hour after the shot. Signs of a serious allergic reaction can include difficulty breathing, weakness, hoarseness or wheezing, a fast heart beat, hives, dizziness, paleness, or swelling of the throat.

#### What should I do?

- Call a doctor, or get the person to a doctor right away.
- Tell your doctor what happened, the date and time it happened, and when the vaccination was given.
- Ask your provider to report the reaction by filing a Vaccine Adverse Event Reporting System (VAERS) form. Or you can file this report through the VAERS website at www.vaers.hhs.gov, or by calling 1-800-822-7967.

VAERS does not provide medical advice.

### 7

# The National Vaccine Injury Compensation Program

The National Vaccine Injury Compensation Program (VICP) was created in 1986.

Persons who believe they may have been injured by a vaccine can learn about the program and about filing a claim by calling 1-800-338-2382 or visiting the VICP website at www.hrsa.gov/vaccinecompensation.

### 8 How


#### How can I learn more?

- Your doctor can give you the vaccine package insert or suggest other sources of information.
- · Call your local or state health department.
- Contact the Centers for Disease Control and Prevention (CDC):
  - Call 1-800-232-4636 (1-800-CDC-INFO) or
  - Visit CDC's website at www.cdc.gov/vaccines

# Vaccine Information Statement (Interim) Meningococcal Vaccines

10/14/2011

42 U.S.C. § 300aa-26



# **Meningococcal Vaccine Form**

Student Nam	e:					Date	of Birth:	
	(Last)			(First)				
UMDNJ Scho	ool: <u>o GSBS</u>	o NJDS	o NJ	<u>MS o</u>	SHRP	o SN	o SPH	oOTHER
<ul> <li>MENGINGOCOCCAL VACCINATION IS REQUIRED FOR ALL STUDENTS RESIDING IN THE UNIVERSITY RESIDENCE HALL:</li> <li>The State of New Jersey requires that all students residing in a campus dormitory (residence hall) receive a meningococcal vaccination as a condition of attendance at that institution</li> <li>UMDNJ policy states that, "Students residing in University student housing must receive or have proof of having received one dose of meningococcal vaccine."</li> <li>The Centers for Disease Control (CDC) recommend routine vaccination for persons age 19-55 who are at increased risk for meningococcal disease, such as students living in dormitories.</li> </ul>								
							For office	use only
								, c <b>,</b>
Meningococc		71.4		Date given			review #1	review #2
(MCV4) tetravalent conjugate (Menactra™within 5 years of matriculation)			within	mm dd	/			
							-	
Healthcare pr	ovider informa	ation:			Return	form to:		
Print Name				UMDNJ/Office on Housing 30 Bergen Street, ADMC 301 Newark, NJ 07101 973-972-4540 (Fax)				
Phone Signature		,						
Date								



# Meningococcal Meningitis Response Form\*

Student Name:						
Student Date of Birth:						
School:	Campus:					
<ul> <li>□ UMDNJ-Graduate School of Biomedical Sciences</li> <li>□ UMDNJ-New Jersey Dental School</li> <li>□ UMDNJ-New Jersey Medical School</li> <li>□ UMDNJ-Robert Wood Johnson Medical School</li> <li>□ UMDNJ-School of Health Related Professions</li> <li>□ UMDNJ-School of Nursing</li> <li>□ UMDNJ-School of Osteopathic Medicine</li> <li>□ UMDNJ-School of Public Health</li> </ul>	<ul> <li>□ Camden</li> <li>□ Newark</li> <li>□ Piscataway/New Brunswick</li> <li>□ Scotch Plains</li> <li>□ Stratford</li> <li>□ Other:</li> </ul>					
Meningitis Information						
I have received information about the nature of meni prevention and treatment, and the availability of men						
□ Yes □ No						
Meningococcal Vaccine (Check one belo	ow)					
☐ I have already received the meningococcal vaccine ( / )						
☐ I have decided not to receive the meningococcal v						
☐ I plan to receive the meningococcal vaccine now	or in the future.					
☐ I am undecided about receiving the meningococc	al vaccine.					
Student Signature:	Date:					
More information about meningococcal disease can <a href="http://www.nj.gov/health/cd/n">http://www.nj.gov/health/cd/n</a> <a href="http://www.cdc.gov/vaccines/pubs/vis">http://www.cdc.gov/vaccines/pubs/vis</a>	<u>neningo/index.shtml</u>					

<sup>\*</sup> This form shall become part of the student health record and is required by New Jersey law, P.L. 2000c.25.