## Nebulized Albuterol







# **Nebulized Inhaled Steroids**







### Nebulized Inhaled Steroids





### Nebulized Inhaled Steroids











#### Nebulized others



30 mL NOT FOR INJECTION

**0** Solution, USP

For Inhalation (Mucolytic Agent) or Oral Administration (Acetaminophen Antidote).

Distributed by Hospira, Inc., Lake Forest, IL 60045 USA

##-###-AA DMMMYYYY

Rx only

NDC 0409-3307-11

Each mL contains acetylcysteine 100 mg; edetate disodium, dihyd. 0.25 Contains NaOH and may contain HČI for pH adjustment. Usual Dosage: See accompanying directions for dosage, indications and use. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Store in refrigerator at 2° to 8°C (36° to 46°F) after opening. 2° to 8°C (36° to 46°F) after opening. Discard opened vial after 96 hours. A change in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening; this does properly recommended in color may occur after opening in color may occur Hośpira not change the efficacy of the drug.





3 x 30 mL Vials

Rx only

NDC 63323-690-30

ACETYLCYSTEINE

SOLUTION, USP

20%

(200 mg/mL)

For Inhalation (Mucolytic Agent) or Oral Administration (Acetaminophen Antidote)

#### NOT FOR INJECTION, PRESERVATIVE FREE

Each ml. contains 200 mg (20%) Acetylcysteine, 0.05% disodium edetate, sodium hydroxide and, if necessary, hydrochloric acid is added (used for pH adjustment) and water for injection. pH (range 6.0 to 7.5) Usual Dosage: See Insert.

#### WARNING: DISCARD OPENED CONTAINERS AFTER 96 HOURS

Store at 20°: 25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F) [see USP Controlled Room Temperature]. Store in refrigerator 2\* - 8\*C (36\* - 46\*F) after opening. A change in color may occur after opening. This does not change the efficacy of the drug. Acetylcysteine may be diluted to a lesser concentration with an appropriate solution.

Manufactured for:



FRESENIUS Lake Zurich, IL 60047 Made in India

www.fresenius-kabi.com/us

Sample Label.

Please see package insert for complete prescribing information.

ode No.: AP/DRUGS/103/97 315000008-02

# Neb others (cont)







